

The Corporation of the City of Kawartha Lakes

Agenda

Lindsay-Ops Landfill Public Review Committee Meeting

2019-157

Wednesday, October 9, 2019

2:00 P.M.

Weldon Room

City Hall

26 Francis Street, Lindsay, Ontario K9V 5R8

Members:

Councillor Pat Dunn

Chris Appleton

Karen Buckley

Barry Hodgson

Lloyd Robertson

Larry Scrivens

Ken Trodd

- | | | |
|------------|--|--------------|
| 1. | Call to Order | |
| 2. | Adoption of Agenda | |
| 3. | Disclosures of Pecuniary Interest | |
| 4. | Approval of the Minutes of the Previous Meeting | 3 - 5 |
| 5. | Reports | |
| 5.1 | PRC Activity Summary Spreadsheet | 6 - 6 |
| 6. | Landfill Complaints | |
| 7. | Leachate Outbreaks | |

- 8. **Other New Business**
- 8.1 Integrated Waste Management Strategy Update-Second Draft
- 8.2 Construction and Demolition Pilot Update
- 8.3 Single Use Plastics Recommendations
- 9. **Public Comment Period**
- 10. **Next Meeting**
- 11. **Adjournment**

The Corporation of the City of Kawartha Lakes
Minutes
Lindsay-Ops Landfill Public Review Committee
Meeting

2019-156
Wednesday, September 11, 2019
3:00 P.M.
Weldon Room
City Hall
26 Francis Street, Lindsay, Ontario K9V 5R8

Members:
Councillor Pat Dunn
Chris Appleton
Karen Buckley
Barry Hodgson
Lloyd Robertson
Larry Scrivens
Ken Trodd

Accessible formats and communication supports are available upon request. The City of Kawartha Lakes is committed to accessibility for persons with disabilities. Please contact AgendaItems@kawarthalakes.ca if you have an accessible accommodation request.

1. Call to Order

The chair called the meeting to order at 3:00pm.

2. Adoption of Agenda

Moved By Councillor Dunn

Seconded By B. Hodgson

Carried

3. Disclosures of Pecuniary Interest

There were no declarations of pecuniary interest disclosed.

4. Approval of the Minutes of the Previous Meeting

Moved By K. Buckley

Seconded By Councillor Dunn

Carried

5. Reports

5.1 PRC Activity Summary Spreadsheet

6. Landfill Complaints

There was a dust complaint on July 15th due to construction activities going on at the site. Staff informed the contractor to ensure that enough watering is being done during construction.

7. Leachate Outbreaks

No leachate outbreaks.

8. Other New Business

8.1 Cell 4/5 Construction ECA Ammendment

The MECP approved an amendment to the ECA and design for the new section of Cells 4 and 5 (North Half). During construction it was found that waste and cover soil placement in an adjacent cell was covering a temporary berm which was to be removed. In order to maintain proper drainage WSP proposed to excavate holes and cut portions of the geomembrane within the berm rather than removing the entire berm and soil placed on top.

8.2 MECP Groundwater Comments and Stormwater Inspection Report

Staff discussed recent MECP groundwater comments and a stormwater inspection report by the MECP on June 7. Staff will keep the PRC up to date on upcoming meetings with the MECP to discuss groundwater and surface water at the Lindsay Ops landfill.

8.3 Styrofoam and Single Use Plastics Ban Update

Staff provided a presentation proposing a voluntary ban of single use plastics within Kawartha Lakes. These recommendations will be brought to council in November.

Moved By C. Appleton

Seconded By L. Scrivens

Resolved that the Lindsay Ops Landfill Public Review Committee supports the recommendation to proceed with a voluntary ban of single-use plastics and Styrofoam in Kawartha Lakes and to phase out single-use plastics and Styrofoam in Kawartha Lakes facilities and buildings.

Carried

8.4 Integrated Waste Management Strategy Update Draft

Staff provided the first draft of the Integrated Waste Management Strategy Update to the PRC for their comments. Comments from several committees will be received in September and a final draft will be brought to the PRC in October before it goes to council.

9. Public Comment Period

No comments.

10. Next Meeting

The next meeting will be Wednesday, October 9th at 2:00 p.m. in the Weldon Room, City Hall.

11. Adjournment

The meeting was adjourned at 4:50pm.

Moved By B. Hodgson

Seconded By L. Scrivens

Carried

**Lindsay Ops Landfill Public Review Committee
Action List**

Meeting Date of Activity	Action	Responsibility	Action Item Date:	Status
15-May-13	PRC requested operational updates on the Landfill Gas Electricity Generation.	CKL	Monthly	Oct 9 Meeting: New gas wells hooked up to system on June 10th-11th. Wells not showing high methane readings, looking at placing final cover over well area. Have seen a small increase in KWH produced since June.
15-Jan-14	That the PRC is copied on Staff Reports to Council regarding the Lindsay Ops Landfill	CKL	As Available	Oct 9 Meeting: No reports in October.
21-Jan-15	Provide update on quarterly PCB testing (SW3/ SW13)	CKL	Quarterly	Oct 9 Meeting: Samples taken July 17th and August 13th. No PCBs detected. Next sampling to occur before Nov 30th.
17-Jun-15	MECP Comments	CKL	As Available	Oct 9 Meeting: Meeting being scheduled to discuss groundwater and surface water monitoring at the site.
23-Nov-16	Biomonitoring	CKL	As Available	Oct 9 Meeting: No updates.
21-Jan-19	Leachate Water Quality Results	CKL	As Available	Oct 9 Meeting: Leachate sampling completed September 30th. Have not received results back from lab as of yet.
17-May-17	Waste Management Advisory Committee Update	CKL	As Available	Oct 9 Meeting: At the September meeting a presentation on Single Use Plastics and the first draft of the Integrated Waste Management Strategy Update were received.
17-Jan-17	Updates on Blue Box markets and Legislation	CKL	As Available	Oct 9 Meeting: Markets low. Date for transition to producer responsibility of the blue box has been set for 2023-2025.
16-May-18	Construction and Demolition and Mattress Recycling Update	CKL	As Available	Oct 9 Meeting: Programs going well. Update as Agenda Item.
20-Jun-18	Lindsay Ops EA Process Update	CKL	As Available	Oct 9 Meeting: No updates.