

**The Corporation of the City of Kawartha Lakes**  
**Minutes**  
**Lindsay-Ops Landfill Public Review Committee**  
**Meeting**

**2020-162**  
**Wednesday, September 2, 2020**  
**3:00 P.M.**  
**Public Works and Engineering Boardroom**  
**322 Kent Street West**  
**Lindsay, ON K9V 4T7**

**Members:**  
**Councillor Pat Dunn**  
**Chris Appleton**  
**Karen Buckley**  
**Lloyd Robertson**

**Accessible formats and communication supports are available upon request. The City of Kawartha Lakes is committed to accessibility for persons with disabilities. Please contact [AgendaItems@kawarthalakes.ca](mailto:AgendaItems@kawarthalakes.ca) if you have an accessible accommodation request.**

**1. Call to Order**

The Chair called the meeting to order at 3:01pm.

**2. Adoption of Agenda**

**Moved By** Councillor Dunn  
**Seconded By** C. Appleton

**Carried**

**3. Disclosures of Pecuniary Interest**

There were no declarations of pecuniary interest disclosed.

#### **4. Approval of the Minutes of the Previous Meeting**

**Moved By** Councillor Dunn

**Seconded By** K. Buckley

**Carried**

#### **5. Reports**

##### **5.1 PRC Activity Summary Spreadsheet**

#### **6. Landfill Complaints**

No complaints.

#### **7. Leachate Outbreaks**

There have been no leachate outbreaks. However there were a couple of spills since the last PRC meeting.

There was a fire on May 22<sup>nd</sup> at the tip face of the landfill. The cause is still unknown. This was contained to the cell and all water used to put out the fire went into the leachate collection system. MECP and PRC were both notified. We also had an inspection done on the liner afterwards and the liner was not damaged.

There was a very small spill of motor oil at our HHW depot on July 14<sup>th</sup>. Our HHW contractor was loading vehicle. This was about 10L of oil and it was cleaned with absorbent and put into a drum to be shipped to the HHW processing facility. MECP and PRC were notified.

#### **8. Other New Business**

##### **8.1 2020 Biomonitoring Report**

Kerri provided a summary of the 2020 Biomonitoring Report completed by Cambium and answered questions from the PRC.

Sampling for the 2020 Biomonitoring report was completed in February of 2020 and the report will be included as part of the Annual Monitoring Report submitted to the MECP in April of 2021. Highlights of the 2020 report include an increase in aquatic worms, with chemical analysis of seven metals detected, and no VOC or PCBs detected.

## 8.2 Lindsay Ops 2019 Annual Monitoring Report Presentation

Kerri conducted a PowerPoint presentation on the 2019 Annual Monitoring Report for the Lindsay Ops Landfill and answered questions from the PRC. There were a few questions that were not able to be answered during the meeting and staff will provide answers at the next meeting. The questions are:

What is Lagoon 6 used for now after sludge was removed several years ago?

In 2019 the ammonia measured in the old landfill was 4.7mg/L which is higher than 1.9mg/L in 2018 and 3.0mg/L. Do we have an idea as to why this has increased?

## 9. Public Comment Period

No comments.

## 10. Next Meeting

The next meeting will be Wednesday, October 28th at 3:00pm on Zoom.

## 11. Adjournment

The meeting was adjourned at 4:15pm.

**Moved By** C. Appleton

**Seconded By** K. Buckley

**Carried**