

The Corporation of the City of Kawartha Lakes

AGENDA

LINDSAY-OPS LANDFILL PUBLIC REVIEW COMMITTEE

2017-127

Wednesday, January 18, 2017

4:00 P.M.

Weldon Room

City Hall

26 Francis Street, Lindsay, Ontario K9V 5R8

MEMBERS:

Councillor Brian S. Junkin

Chris Appleton

Barry Hodgson

William McLaren

Lloyd Robertson

Larry Scrivens

Ken Trodd

Accessible formats and communication supports are available upon request.

| | | |
|-----|--|-------|
| 1. | <u>CALL TO ORDER</u> | |
| 2. | <u>ADOPTION OF AGENDA</u> | |
| 3. | <u>DISCLOSURES OF PECUNIARY INTEREST</u> | |
| 4. | <u>APPROVAL OF THE MINUTES OF THE PREVIOUS MEETING</u> | 3 - 6 |
| 5. | <u>REPORTS</u> | |
| 5.1 | PRC Activity Summary Spreadsheet | 7 - 7 |
| 6. | <u>LANDFILL COMPLAINTS</u> | |
| 7. | <u>LEACHATE OUTBREAKS</u> | |
| 8. | <u>OTHER NEW BUSINESS</u> | |
| 8.1 | 2016 Biomonitoring Report | |
| 8.2 | ADC Amendment Application Report | |
| 9. | <u>PUBLIC COMMENT PERIOD</u> | |
| 10. | <u>NEXT MEETING</u> | |
| 11. | <u>ADJOURNMENT</u> | |

The Corporation of the City of Kawartha Lakes
MINUTES
LINDSAY-OPS LANDFILL PUBLIC REVIEW
COMMITTEE

2016-126
Wednesday, November 23, 2016
4:00 P.M.
Weldon Room
City Hall
26 Francis Street, Lindsay, Ontario K9V 5R8

MEMBERS:

Councillor Brian S. Junkin
L. Robertson, Chair
W. McLaren, Vice-Chair
C. Appleton (regrets)
L. Scrivens
K. Trodd
B. Hodgson

1. CALL TO ORDER

The Chair called the meeting to order at 4:00 p.m.

2. ADOPTION OF AGENDA

MOVED BY: Bill McLaren

SECONDED BY: Councillor Brian Junkin

RESOLVED THAT the agenda be approved as circulated.

CARRIED

3. DISCLOSURES OF PECUNIARY INTEREST

There were no declarations of pecuniary interest noted.

4. APPROVAL OF THE MINUTES OF THE PREVIOUS MEETING

MOVED BY: Larry Scrivens

SECONDED BY: Councillor Brian Junkin

RESOLVED THAT the minutes from September 14, 2016 and October 19, 2016 be approved as circulated.

CARRIED

5. REPORTS

5.1 PRC Activity Summary Spreadsheet

See attached summary.

6. LANDFILL COMPLAINTS

Received one complaint on October 25, 2016 that indicated there was a concern of dust at the adjacent property. As the construction of cell 4/5 continues, the Operations Supervisor reminds onsite contractors that dust control measures must be employed as part of their scope of work. This reminder has since resolved this issue.

7. LEACHATE OUTBREAKS

No leachate outbreaks.

8. **2016/ 2017 Committee Work Plan**

Committee members reviewed the draft staff report, 2016 work plan summary, 2017 work plan and made the following motions:

MOVED BY Councillor Brian Junkin

SECONDED BY Bill McLaren

RESOLVED THAT the committee supports the 2016 work plan summary that is presented in this report.

CARRIED

and

MOVED BY Bill McLaren

SECONDED BY Larry Scrivens

RESOLVED THAT the proposed 2017 Lindsay Ops Landfill PRC work plan is acceptable to the committee with the addition of 1) updates on the Clear Bags Program, 2) an additional review of the electrical generator proforma in February and 3) input and review into the new Lindsay Ops Operations & Maintenance Report; and

THAT the 2017 Lindsay Ops Landfill PRC work plan be presented to Council for approval.

CARRIED

9. **OTHER NEW BUSINESS**

9.1 **Paint Reuse Program Summary**

Staff provided a summary of the number of individuals that participated in the paint reuse program in 2016. As well, the quantity of paint that was redistributed into the community including:

Fenelon- 292 cans or 1.1 tonnes of paint

Lindsay Ops- 227 cans or 0.85 tonnes of paint

A total of 203 individuals that were redistributed 519 cans or 1.96 tonnes of paint from May to October 2016.

9.2 **Curbside Battery Staff Report**

Committee reviewed the staff report from October 4 Council meeting regarding the curbside battery collection. Overall the program was a success and will

continue for an additional two years as a pilot program to evaluate quantities and participation.

MOVED BY: Ken Trodd

SECONDED BY: Larry Scrivens

RESOLVED THAT this update on the curbside battery collection program be received.

CARRIED

9.3 Durham/ York EFW Facility Tour

A tour of the Durham/ York EFW facility has been scheduled for Wednesday February 15, 2017 at 1:30 PM. More details on this tour will be circulated by staff with travel directions, PPE requirements, etc.

10. PUBLIC COMMENT PERIOD

Mr. Wilson provided comments regarding the use of steel plates and to confirm that the ECA amendment approval was received for the construction of cell 4/5.

11. NEXT MEETING

Wednesday January 18, 2017, Weldon Room, City Hall, commencing at 4:00 p.m. Also, that the February meeting be held on Wednesday February 22, 2017 in the Weldon Room, City Hall, commencing at 4:00 p.m.

12. ADJOURNMENT

Committee meeting adjourned at 6:45 PM.

**Lindsay Ops Landfill Public Review Committee
Action List**

| Meeting Date of Activity | Action | Responsibility | Action Item Date: | Status |
|--------------------------|--|----------------|-------------------|---|
| 15-May-13 | PRC requested updates on use of Alternative Daily Cover (ADC) at the Lindsay Ops landfill. | CKL | Monthly | Nov 23 Meeting: Amendment will be prepared and submitted to MOECC by Dec 31, 2016. Included in the application will be the request to add partially composted leaf and yard waste as ADC and interm cover. Follow up email with definition requested by committee. |
| 15-May-13 | PRC requested updates on the Landfill Gas Electricity Generation Project. | CKL | Monthly | Nov 23 Meeting: No further update. Proforma with City's finance department comments to be provided at the February 2017 meeting. |
| 20-Nov-13 | Provide updates to the PRC on the movement of compost operations at the landfill site | CKL | As Available | Nov 23 Meeting: A peer review is being coordinated prior to issuing a tender for construction. |
| 15-Jan-14 | That the PRC is copied on Staff Reports to Council regarding the Lindsay Ops Landfill | CKL | As Available | Nov 23 Meeting: 2016/ 2017 Work Plan report to be discussed further in the agenda. |
| 16-Jul-14 | Provide updates to PRC on the progress of the clear bags program | CKL | Monthly | Nov 23 Meeting: Internal training with Service Centre staff as well as Miller has occurred for the roll out of the program. |
| 19-Nov-14 | Future discussion of engaging new council | PRC | May- June 2015 | Nov 23 Meeting: No update. |
| 21-Jan-15 | Provide update on quarterly PCB testing (SW3/ SW13) | CKL | Quarterly | Nov 23 Meeting: There were no readings of PCBs from GW, SW or leachate samples in 2016. SW3 and SW13 should have been analyzed in the summer however both stations were dry on numerous attempts to sample. SW3 was also dry in October and no analysis could be completed. |
| 17-Jun-15 | MOECC Comments | CKL | As Available | Nov 23 Meeting: No new correspondence. |
| 18-Nov-15 | Fenelon Pollinator Project Updates | CKL | As Available | Nov 23 Meeting: This project will move forward in spring/ early summer 2017 when contractor completes the covering of Phase I of the site. The pollinator area will be approximately 6,900 m2 located at the top of the slope. The City is working on moniotring protocol to determine success of this different seed mix. |
| 20-Jan-16 | Cell 4/5 Construction | CKL | As Available | Nov 23 Meeting: Clay liner is finished and to date the consturction is on track to finish by the end of the year. |
| 17-Feb-16 | Public Open House | CKL | As Available | Nov 23 Meeting: September 20th is the date put in the 2017 Waste and Recycling Calendar for the next public open house. |
| 15-Jun-16 | Litter Fencing | CKL | As Available | Nov 23 Meeting: Installation was completed on October 3. Approximately 100 m of fencing was installed north of the main access road and 150 m installed south of the main access road. |
| 23-Nov-16 | Biomonitoring | CKL | As Available | Nov 23 Meeting: New substrate rock was installed in fall 2015 as recommended by Niblett Environmental. Staff are waiting for results from the 2016 sampling and reporting. Wil lcirculate to committee when finalized. |