

# SAFETY DATA SHEET DOW AGROSCIENCES CANADA INC.

Product name: CLEARVIEW™ Herbicide Issue Date: 03/14/2017

DOW AGROSCIENCES CANADA INC. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

# 1. IDENTIFICATION

Product name: CLEARVIEW™ Herbicide

Recommended use of the chemical and restrictions on use

Identified uses: End use herbicide product

**COMPANY IDENTIFICATION** 

DOW AGROSCIENCES CANADA INC. #2400, 215 - 2ND STREET S.W. CALGARY AB T2P 1M4 CANADA

Customer Information Number: 800-667-3852 solutions@dow.com

**EMERGENCY TELEPHONE NUMBER** 

24-Hour Emergency Contact: 613-996-6666 Local Emergency Contact: 613-996-6666

# 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

**Appearance** 

Odor

Physical state Granules

Color Brown

Mild

Hazard Summary CAUTION!!

May cause eye irritation.

May cause skin irritation.

Powdered material may form explosive dust-air mixture.

Isolate area.

Toxic fumes may be released in fire situations.

Slipping hazard.

Highly toxic to fish and/or other aquatic organisms.

### **Potential Health Effects**

Eyes: May cause moderate eye irritation.

May cause slight corneal injury.

Solid or dust may cause irritation or corneal injury due to mechanical action.

**Skin:** Brief contact may cause skin irritation with local redness.

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Inhalation:** Prolonged excessive exposure to dust may cause adverse effects.

Based on the available data, respiratory irritation was not observed.

**Ingestion:** Very low toxicity if swallowed.

Harmful effects not anticipated from swallowing small amounts.

Chronic Exposure: For similar active ingredient(s).

Aminopyralid.

In animals, effects have been reported on the following organs:

Gastrointestinal tract.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

CASRN	Weight percent
566191-87-5	62.13%
74223-64-6	9.45%
497-19-8	9.9%
1332-58-7	5.2%
13463-67-7	0.1%
Not available	13.22%
	566191-87-5 74223-64-6 497-19-8 1332-58-7 13463-67-7

# 4. FIRST AID MEASURES

# **Description of first aid measures**

**General advice:** If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Ingestion: No emergency medical treatment necessary.

Product name: CLEARVIEW™ Herbicide

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

**Notes to physician:** May cause injury due to mechanical action. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

# 5. FIREFIGHTING MEASURES

**Suitable extinguishing media:** Water. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers.

Unsuitable extinguishing media: No data available

# Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation. Pneumatic conveying and other mechanical handling operations can generate combustible dust. To reduce the potential for dust explosions, do not permit dust to accumulate. Dense smoke is produced when product burns.

## Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Soak thoroughly with water to cool and prevent re-ignition. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires. Move container from fire area if this is possible without hazard. Contain fire water runoff if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

# 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.

**Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

## 7. HANDLING AND STORAGE

**Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing dust or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Conditions for safe storage:** Store in a dry place. Store in original container. Do not store near food, foodstuffs, drugs or potable water supplies.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Sodium Carbonate	Dow IHG	TWA	10 mg/m3
Kaolin	ACGIH	TWA Respirable fraction	2 mg/m3
	CA AB OEL	TWA Respirable	2 mg/m3
	CA BC OEL	TWA Respirable	2 mg/m3
	CA QC OEL	TWAEV respirable	5 mg/m3
		dust	
Titanium dioxide	ACGIH	TWA	10 mg/m3 , Titanium dioxide
	Dow IHG	TWA	2.4 mg/m3
	CA AB OEL	TWA	10 mg/m3
	CA BC OEL	TWA	10 mg/m3
	CA QC OEL	TWAEV total dust	10 mg/m3

Consult local authorities for recommended exposure limits.

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Exposure controls**

**Engineering controls:** Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

Eye/face protection: Use chemical goggles.

Skin protection

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection,

dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Issue Date: 03/14/2017

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Physical state Granules
Color Brown
Odor Mild

Odor Threshold No data available

pH 10.3 1% pH Electrode (1% dispersion)

Melting point/range No test data available

Freezing point Not applicable
Boiling point (760 mmHg) Not applicable

Flash point closed cup Not applicable

**Evaporation Rate (Butyl Acetate** 

= 1)

Not applicable

Flammability (solid, gas)

Lower explosion limit

Upper explosion limit

Vapor Pressure

Relative Vapor Density (air = 1)

Relative Density (water = 1)

No data available

Not applicable

Not applicable

Not applicable

Water solubility

No test data available

Partition coefficient: n
No data available

octanol/water

Auto-ignition temperature Not applicable

**Decomposition temperature** No test data available

Dynamic Viscosity

Kinematic Viscosity

Explosive properties

Oxidizing properties

Liquid Density

Not applicable

No data available

No data available

Not applicable

**Bulk density** 0.0007 kg/m3 *Literature* 

Molecular weight No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

# 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical stability: Thermally stable at typical use temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

**Conditions to avoid:** Active ingredient decomposes at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible materials: Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

**Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

### 11. TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

# **Acute toxicity**

#### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product:

LD50, Rat, female, > 5,000 mg/kg

#### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rat, male and female, > 5,000 mg/kg

#### Acute inhalation toxicity

Prolonged excessive exposure to dust may cause adverse effects. Based on the available data, respiratory irritation was not observed.

As product:

LC50, Rat, male and female, 4 Hour, dust/mist, > 5.09 mg/l

#### Skin corrosion/irritation

Brief contact may cause skin irritation with local redness.

# Serious eye damage/eye irritation

May cause moderate eye irritation.

May cause slight corneal injury.

Solid or dust may cause irritation or corneal injury due to mechanical action.

#### Sensitization

Did not cause allergic skin reactions when tested in guinea pigs.

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:

No relevant information found.

## **Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

# Specific Target Organ Systemic Toxicity (Repeated Exposure)

For similar active ingredient(s).

Aminopyralid.

In animals, effects have been reported on the following organs:

Gastrointestinal tract.

#### Carcinogenicity

For the active ingredient(s): Did not cause cancer in laboratory animals. A risk assessment has been conducted for this product and has shown, that under normal handling, the minor components will not pose a hazard.

#### **Teratogenicity**

For the active ingredient(s): Did not cause birth defects or any other fetal effects in laboratory animals.

#### Reproductive toxicity

For the active ingredient(s): In animal studies, did not interfere with reproduction.

### Mutagenicity

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

#### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

#### **Toxicity**

#### Acute toxicity to fish

Based on information for component(s):

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

### As product:

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, > 120 mg/l, OECD Test Guideline 203 or Equivalent

## Acute toxicity to aquatic invertebrates

As product:

EC50, Daphnia magna (Water flea), semi-static test, 48 Hour, > 120 mg/l, OECD Test Guideline 202 or Equivalent

## Acute toxicity to algae/aquatic plants

As product:

ErC50, Pseudokirchneriella subcapitata (green algae), static test, 72 Hour, Growth rate inhibition, 17.58 mg/l, OECD Test Guideline 201 or Equivalent

For the active ingredient(s):

EC50, Lemna gibba, 14 d, 0.00036 mg/l

## **Toxicity to Above Ground Organisms**

As product:

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

As product:

oral LD50, Colinus virginianus (Bobwhite quail), > 2250mg/kg bodyweight.

#### Toxicity to soil-dwelling organisms

As product:

LC50, Eisenia fetida (earthworms), 14 d, survival, 2,000 mg/kg

# Persistence and degradability

#### **Aminopyralid Potassium**

**Biodegradability:** For similar active ingredient(s). Aminopyralid. Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail **Biodegradation:** 0 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

#### Metsulfuron-methyl

Biodegradability: No appreciable biodegradation is expected.

#### **Sodium Carbonate**

Biodegradability: Biodegradation is not applicable.

#### Kaolin

Biodegradability: Biodegradation is not applicable.

#### **Titanium dioxide**

Biodegradability: Biodegradation is not applicable.

#### **Balance**

Biodegradability: No relevant data found.

#### Bioaccumulative potential

Bioaccumulation: No data available.

# Mobility in soil

## **Aminopyralid Potassium**

For similar active ingredient(s).

Aminopyralid.

Potential for mobility in soil is very high (Koc between 0 and 50).

# Metsulfuron-methyl

No data available.

#### **Sodium Carbonate**

Relevant data not available.

# Titanium dioxide

No data available.

#### **Balance**

No relevant data found.

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods:** If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

# 14. TRANSPORT INFORMATION

**TDG** 

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.(Metsulfuron-methyl, Aminopyralid Potassium)

UN number UN 3077

Class 9
Packing group |||

Marine pollutant Metsulfuron-methyl, Aminopyralid Potassium

Classification for SEA transport (IMO-IMDG):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Metsulfuron-methyl, Aminopyralid Potassium)

UN number UN 3077

Class 9
Packing group III

Marine pollutant Metsulfuron-methyl, Aminopyralid Potassium

Transport in bulk Consult IMO regulations before transporting ocean bulk

according to Annex I or II of MARPOL 73/78 and the

**IBC or IGC Code** 

Classification for AIR transport (IATA/ICAO):

**Proper shipping name** Environmentally hazardous substance, solid,

n.o.s.(Metsulfuron-methyl, Aminopyralid Potassium)

UN number UN 3077

Class 9
Packing group III

Further information:

NOT REGULATED PER TDG EXEMPTION 1.45.1 FOR ROAD OR RAIL

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## 15. REGULATORY INFORMATION

# **Hazardous Products Act Information: CPR Compliance**

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

# Hazardous Products Act Information: WHMIS Classification

This product is exempt under WHMIS.

#### **National Fire Code of Canada**

Not applicable

## Canadian Domestic Substances List (DSL)

This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements.

Pest Control Products Act (PCPA) Registration Number: 29752

# **16. OTHER INFORMATION**

### **Hazard Rating System**

#### **NFPA**

Health	Fire	Reactivity
1	1	0

#### Revision

Identification Number: 101188048 / A215 / Issue Date: 03/14/2017 / Version: 8.2

DAS Code: GF-2050

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

# Legend

ACGIH	USA. American Conference of Governmental Industrial Hygienists (ACGIH)
	Threshold Limit Values (TLV)
CA AB OEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	Canada. British Columbia OEL
CA QC OEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1:
	Permissible exposure values for airborne contaminants
Dow IHG	Dow Industrial Hygiene Guideline
TWA	8-hour time weighted average
TWAEV	Time-weighted average exposure value

# **Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Page 10 of 11

DOW AGROSCIENCES CANADA INC. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.