
APPENDIX: A

to

REPORT COA2018-048

FILE NO: <u>D20-2018-037</u>

# D20-2018-037



APPENDIX: B

to

REPORT <u>COA2018-048</u>

FILE NO: <u>D20-2018-037</u>



## 85 St Peter Street, former Town of Lindsay





APPENDIX: C

to

REPORT COA2018-048

FILE NO: <u>D20-2018-037</u>





to

REPURT

## Quadri Adebayo

From:

Derryk Wolven

Sent:

Thursday, August 02, 2018 12:13 PM

To:

Charlotte Crockford-Toomey

Subject:

Minor Variances

FILE NO. DE

020-2018-037

Please be advised building division ahs the following comments to offer:

D20-2018-019 No concerns

D20-2018-030 No concerns

D20-2018-034 No concerns

D20-2018-035 No concerns

D20-2018-036 No concerns

D20-2018-037 No concerns

D20-2018-038 No concerns

D20-2018-039 No concerns

D20-2018-040 No concerns


### **Derryk Wolven, CBCO**

Plans Examiner

Development Services, Building Division, City of Kawartha Lakes

705-324-9411 ext. 1273 www.kawarthalakes.ca







August 02, 2018 KRCA File No 16498

Page 1 of 2 FILE NO

M20-2018-03

Discover · Protect · Restore

Via E-Mail: ccrockford-toomey@kawarthalakes.ca

Ms. Crockford-Toomey Administrative Assistant City of Kawartha Lakes 180 Kent Street West Lindsay, ON K9V 2Y6

Regarding: Application for Minor Variance – D20-2018-037

2083359 ONT Inc. / Terry Yates / David Blackwood

85 St. Peter Street, Lot 22 Con 6, Ops

Geographic Town of Lindsay City of Kawartha Lakes

Dear Ms. Crockford-Toomey:

This Letter acknowledges the receipt of the above noted application. Kawartha Conservation staff have reviewed this application and provided the following comments:

#### **Application Purpose**

It is our understanding that the purpose of this application is to request the following variance from the requirements of Zoning By-Law 2000-75 (Town of Lindsay), as amended, as it relates to:

a) Relief from Provisions of Section 20- General Employment (GE) Zone, to allow unmanned Self-storage use in addition to the other industrial and commercial uses permitted.

#### Applicable Kawartha Conservation Regulations and Policies

#### Ontario Regulation 182/06 (as amended):

The subject property is within Kawartha Conservation's Regulated Area, as it is adjacent to Sinister Creek. This portion of Sinister Creek has been identified by the City of Kawartha Lakes as an area of concern, in regards to flooding. For this reason, Kawartha Conservation has participated in the development of a detailed flood plain study to delineate the boundaries and extent of flooding in case of a Regulatory storm event. In accordance with Ontario Regulation 182/06, as amended (*Development*, *Interference with Wetlands and Alterations to Shorelines and watercourses*), a permit is required from Kawartha Conservation prior to any of the following works taking place:

- a) straightening, changing, diverting or interfering in any way with the existing channel of a river, creek, stream or watercourse, or for changing or interfering in any way with a wetland;
- b) Development, in in the opinion of the authority, the control of flooding, erosion, dynamic beaches or pollution or the conservation of lands may be effected by the development.

#### Development is defined as:

a) The construction, reconstruction, erection or placing of a building or structure of any kind,

#### **KAWARTHA CONSERVATION**

277 Kenrei Road, Lindsay, ON K9V 4R1 705.328.2271 Fax 705.328.2286 **KawarthaConservation.com** 





August 02, 2018 KRCA File No 16498 Page 2 of 2



- b) Any change to a building or structure that would have the effect of altering the use or potential use of the building or structure, increasing the size of the building or structure or increasing the number of dwelling units in the building or structure,
- Site grading or, the temporary or permanent placing, dumping or removal of any material, originating on the site or elsewhere.

As noted, the subject property is within Kawartha Conservation's Regulated Area of Sinister Creek. The Regulatory flood elevation for the subject lands has been determined at 259.52 metres above sea-level (m.a.s.l). The proposed works identified on the plans appear outside of lands regulated by Kawartha Conservation; therefore, a permit under Ontario Regulation 182/06 is not required.

#### Application-Specific Comments

#### KRCA Memorandum of Understanding (MOU):

Under the current Memorandum of Understanding (MOU) between The City of Kawartha Lakes and Kawartha Conservation, our office provides comments relating to Ontario Regulation 182/06 as well as policy/technical advice related to Water, Natural Heritage and Hazards sections of the *Provincial Policy Statement* (2014). In addition, technical guidance is provided in relation to aspects of the *Oak Ridges Moraine Conservation Act* and the *Greenbelt Act*.

#### Provincial Policy Statement (PPS) - Fish Habitat:

The subject property located on "adjacent lands" (i.e., within 120 metres) to fish habitat (i.e., Sinister Creek). The Natural Heritage section (Section 2.1) of the Provincial Policy Statement (PPS) states that development and site alteration shall not be permitted within 120 metres of fish habitat unless the ecological function of these "adjacent lands" has been evaluated and it has been demonstrated that there will be no negative impacts on the natural features or on their ecological functions. Due to the nature of the application and distance of the proposed development from Sinister Creek, staff are of the opinion that there would be no negative impacts to adjacent fish habit.

#### Recommendation

On this basis, Kawartha Conservation staff have no objections to the approval of this Minor Variance application D20-2018-037, provided the proposed works are constructed as per the plans submitted to Kawartha Conservation for review. Kawartha Conservation requests to be circulated on future applications (i.e. Site Plan Approval) related to the subject lands.

Kawartha Conservation staff would like to note that the decision of the Committee of Adjustment does not bind Kawartha Conservation under the Conservation Authorities Act to approve the proposed works identified on the plans/drawings submitted with this application. As such, Kawartha Conservation staff strongly recommends that the plans in support of the proposed development be consistent with all applications made under the Planning Act and the Conservation Authorities Act.

The above comments reflect our understanding, at the time of writing, of the best available data, applicable policies and regulations. I trust this meets your information requirements at this time. Should you have any questions regarding this matter, please do not hesitate to contact this office.

Kindest regards,

Kent Stainton
Resources Planner

2015

#### KAWARTHA CONSERVATION

277 Kenrei Road, Lindsay, ON K9V 4R1 705.328.2271 Fax 705.328.2286 KawarthaConservation.com

