

STURGEON LAKE

NORMAL SUMMER LEVEL
247.80
WATER LEVEL
247.80
DECEMBER 1, 2020

Civic ADDRESS: 69 ROSE STREET
OWNER: PETER CLARK
BUILDER:
BUILDING PERMIT No. _____
ROLL No. _____

FOR CONSTRUCTION PURPOSES ONLY

SITE GRADING PLAN OF
PART OF LOT 52
REGISTERED PLAN No. 139
AND
PART OF LOT 8
CONCESSION 10

GEOGRAPHIC TOWNSHIP OF FENELON
CITY OF KAWARTHA LAKES

SCALE 1:200

5 0 5 10 metres

COE FISHER CAMERON, A DIVISION OF J.D. BARNES LIMITED
© COPYRIGHT 2021

METRIC DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND
CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

LEGEND:

* - FOUND SURVEY MONUMENT
 S - SET SURVEY MONUMENT
 SIB - STANDARD IRON BAR
 IB - IRON BAR
 T.G.W. - TOP OF GARAGE WALL
 [250.50] PROPOSED ELEVATION
 GROUND ELEVATION
 SLOPE
 SWALE
 F.F.E. - FIRST FLOOR ELEVATION
 T.B.W. - TOP OF BASEMENT WALL
 T.B.S. - TOP OF BASEMENT SLAB
 T.G.S. - TOP OF GARAGE SLAB
 U.F. - UNDERSIDE OF FOOTING
 HP - HIGH POINT
 DS - DOWNSLOPE

GENERAL NOTES:

1. DRAINAGE SHALL BE SELF-CONTAINED ON SITE BY THE CONSTRUCTION OF SWALES OR DRAIN TO A PROTECTED OUTLET. DRAINAGE SHALL NOT IMPACT ADJACENT PROPERTIES.
2. SEDIMENT AND EROSION CONTROL MEASURES SHALL BE IMPLEMENTED TO PREVENT MIGRATION OF SILT AND SEDIMENT FROM THE SUBJECT LOT TO ANY ADJACENT LOT, INCLUDING MUNICIPAL RIGHT-OF-WAY. SPECIAL CARE SHALL BE TAKEN TO ENSURE THAT SILT AND SEDIMENT LADEN SURFACE WATER DOES NOT ENTER ANY WATERCOURSES OR ENVIRONMENTALLY SENSITIVE AREA, EITHER OVERLAND OR THROUGH THE STORM DRAINAGE SYSTEM. THE OWNER/BUILDER SHALL COMPLY WITH ALL DIRECTIVES ISSUED BY ANY OF THE ENVIRONMENTAL AGENCIES.
3. INTERIM GRADING MEASURES MAY BE REQUIRED DURING BUILDING CONSTRUCTION TO ENSURE THAT DRAINAGE DOES NOT ADVERSELY AFFECT THE NEIGHBOURING PROPERTIES. ROUGH GRADING OF THE PROPERTY SHALL BE COMPLETED SUCH THAT DRAINAGE IS CONTAINED ON SITE OR CONTROLLED TO A PROTECTED OUTLET.
4. ALL DOWNSPOUTS AND OTHER DRAINAGE DISCHARGE POINTS SHALL DISCHARGE ONTO A SPLASH PAD OR APPROVED EQUIVALENT.
5. SUMP PUMP DISCHARGE POINTS MUST BE WHOLLY WITHIN PRIVATE PROPERTY.
6. THE OWNER/BUILDER IS RESPONSIBLE FOR OBTAINING UTILITY AND SERVING LOCATES PRIOR TO ANY WORKS.
7. ALL DISTURBED AREAS ARE TO BE SOODED OR SEEDED OVER A MINIMUM OF 150MM OF TOPSOIL OR APPROVED EQUIVALENT.
8. THE OWNER/BUILDER MUST OBTAIN A ROAD OCCUPANCY PERMIT FROM PUBLIC WORKS PRIOR TO ANY WORKS WITHIN THE MUNICIPAL ROAD ALLOWANCE.
9. NO ELEVATIONS WILL BE LESS THAN 0.15m BETWEEN FINAL GRADE AND TOP OF FOUNDATION WALL.
10. A COPY OF THE REVIEWED BY ENGINEERING LOT GRADING AND DRAINAGE PLAN IS TO BE ON SITE FOR REFERENCE AT ALL TIMES DURING CONSTRUCTION.
11. THE SUBMISSION OF THIS PLAN REPRESENTS THAT OWNER HEREBY ACKNOWLEDGES THAT ANY GRADING CHANGES THAT OCCUR THROUGH THE CONSTRUCTION THAT RESULT IN ADVERSE EFFECTS TO ADJACENT PROPERTIES WILL RESULT IN AN AS-CONSTRUCTED SITE GRADING PLAN WILL BE REQUIRED.
12. BUILDER TO ENSURE MINIMUM OVERBURDEN FOR FROST PROTECTION ON FOOTINGS.
13. SWALES WITH LESS THAN 2% SLOPE HAVE POTENTIAL FOR PONDING WATER.
14. FOUNDATION TO BE STEPPED FROM REAR WALKOUT AROUND SIDES OF HOME. NO ELEVATIONS WILL BE LESS THAN 0.15m BETWEEN GROUND AND T.B.W.

ZONING	LSR-1	F.F.E.	*
LOT 52 AREA	423.2 SQ. m.	T.B.W.	*
BUILDING AREA	117.87 SQ. m.	T.B.S.	*
		T.G.S.	*
		U.F.	*


No.	DATE	DESCRIPTION
		REVISIONS
		SHEET 1

ELEVATIONS:

ELEVATIONS SHOWN HEREON ARE GEODETIC DERIVED BY GPS OBSERVATIONS AND ARE REFERRED TO A NAIL IN A HYDRO POLE HAVING AN ELEVATION OF 248.50m (CGVD-1928:1978).

DATE:

GERALD G. HICKSON
ONTARIO LAND SURVEYOR

 COE FISHER CAMERON LAND SURVEYORS A Division of J.D. Barnes Limited 3 COMMERCE PLACE, UNIT 201, LINDSAY, ON K4V 1N5 T: (705) 324-4152 F: (705) 324-5406 www.jdbarnes.com		SURVEYING MAPPING GIS
DRAWN BY: DBR	CHECKED BY: GCH	REFERENCE NO: 20-17-269-00
PLOTTED: 1/19/2021		DATED: 12/08/2020

FILE: C:\20-17-269\00\Drawing\20-17-269-00.dgn