

The Corporation of the City of Kawartha Lakes
Minutes
Lindsay-Ops Landfill Public Review Committee
Meeting

LOPRC2024-07
Wednesday, July 17, 2024
2:30 P.M.
Lindsay Ops Landfill Site
51 Wilson Road, Lindsay, Ontario

Members:
Councillor Eric Smeaton
Chris Appleton
Barry Hodgson
Lloyd Robertson
David Webb
Taylor Blake
Lynn Craig
Tanya Sheehey

Accessible formats and communication supports are available upon request. The City of Kawartha Lakes is committed to accessibility for persons with disabilities. Please contact AgendaItems@kawarthalakes.ca if you have an accessible accommodation request.

1. Call to Order

Chair L. Robertson called the meeting to order at 2:29 p.m. Councillor E. Smeaton and members C. Appleton, B. Hodgson, T. Blake and T. Sheehey were in attendance.

Manager of Environmental Services D. Kerr, Acting Supervisor of Waste Management Operations K. Pantaleo, Crew Leader A. Clarke and Administrative Assistant S. McKillop were also in attendance.

Absent: D. Webb and L. Craig

2. Adoption of Agenda

LOPRC 2024-10

Moved By B. Hodgson

Seconded By Councillor Smeaton

That the agenda be adopted as circulated.

Carried

3. Disclosures of Pecuniary Interest

There were no declarations of pecuniary interest disclosed.

4. Approval of the Minutes of the Previous Meeting

Lindsay Ops Landfill Public Review Committee Meeting from May 29, 2024

LOPRC 2024-11

Moved By B. Hodgson

Seconded By C. Appleton

That the minutes of the Lindsay-Ops Landfill Public Review Committee meeting held on May 29, 2024, be adopted as circulated.

Carried

5. Public Comment Period

No comments.

6. PRC Activity Summary Spreadsheet

6.1 Reports

K. Pantaleo reminded the Committee that the wetland survey PowerPoint presentation will be reviewed at September's meeting. The leachate flushing is to take place in August this year to avoid the colder temperatures later in the year.

6.2 Leachate Outbreaks

No leachate outbreaks were reported.

6.3 Landfill Complaints

K. Pantaleo advised that there was a resident concerned about unauthorized expansion. An inspection was completed by the Ministry and it was determined that what the resident was seeing was the new gas wells.

6.4 MECP Comments

No comments to provide to the Committee.

6.5 Monitoring Updates

Waste Tech II B. Ferguson completed a site inspection July 17, 2024 and noted a tree was down near surface water 18. Staff will remove the tree to make it accessible.

PCB sampling for surface water 3 and surface water 13 were unable to be sampled as both locations were dry when Azimuth went to do the next round of sampling.

6.6 Capital Project Updates

Cell 4 and 5 north construction is still ongoing. The cell is complete but still has small items to be finalized prior to completion.

The rehab transfer station project has been started. The contractor has removed the back wall and door and are currently pouring concrete with hopes of utilizing the building by August. Recycling has temporarily been placed in the construction and demolition bunker as well as at the back of the building.

The scales and drop off area's new design is still in process but is anticipated to be completed by Q3 in 2025.

Sludge removal from storm water retention ponds A and B has been completed. All the valves are operational and the project has been closed.

Engineering is continuing to work on the environmental assessment (EA). There are no updates at this time.

7. Other New Business

7.1 Customer Service Survey

As of the morning of the meeting there were 241 surveys completed. The goal was 500 by the end of September. Our internal communications group has recommended that a boosted Facebook post would be valuable to helping achieve the Committee's goal and gain participation. The Committee agreed with the suggestion and supported the decision.

8. Next Meeting

The next meeting will be Wednesday, September 18th at 2:30 p.m. in the Weldon Room, City Hall.

9. Landfill Site Tour

All members and staff toured the Landfill site. This provided an opportunity for questions and also provided an opportunity to show the members the improvements made to the site (i.e. New cell, new push-wall along with the rehabilitated construction and demolition area).

10. Adjournment

LOPRC 2024-12

Moved By C. Appleton

Seconded By B. Hodgson

That the Lindsay-Ops Landfill Public Review Committee Meeting adjourn at 3:45 p.m.

Carried